



ENVIDOR® 2 SC MITICIDE

Version 3 / USA
102000011424

1/11
Revision Date: 02/07/2014
Print Date: 02/04/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name	ENVIDOR® 2 SC MITICIDE
Product code (UVP)	06328725
SDS Number	102000011424
EPA Registration No.	264-831

Relevant identified uses of the substance or mixture and uses advised against

Use	Insecticide, Miticide
Restrictions on use	See product label for restrictions.

Information on manufacturer

Bayer CropScience
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

All Emergencies, 24hr/ 7 days 1-800-334-7577

Product Information Telephone No.	1-866-99BAYER (1-866-992-2937)
-----------------------------------	--------------------------------

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Skin sensitisation : Category 1

Carcinogenicity : Category 2



Signal word: Warning

Hazard statements

May cause an allergic skin reaction.
Suspected of causing cancer.

Precautionary statements

Avoid breathing mist and spray.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
IF ON SKIN: Wash with plenty of soap and water.



ENVIDOR® 2 SC MITICIDE

Version 3 / USA
102000011424

2/11
Revision Date: 02/07/2014
Print Date: 02/04/2015

If skin irritation or rash occurs: Get medical advice/attention.
Specific measures (see supplemental first aid instructions on this label).
Wash contaminated clothing before reuse.
IF exposed or concerned: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Spirodiclofen	148477-71-8	22.30
Glycerine	56-81-5	10.00

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.



ENVIDOR® 2 SC MITICIDE

Version 3 / USA
102000011424

3/11
Revision Date: 02/07/2014
Print Date: 02/04/2015

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water, Dry chemical, Foam

Unsuitable None known.

Special hazards arising from the substance or mixture In the event of fire the following may be released:, Hydrogen chloride (HCl), Carbon monoxide (CO)

Advice for firefighters

Special protective equipment for fire-fighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point Not relevant; aqueous solution

Autoignition temperature no data available

Lower explosion limit no data available

Upper explosion limit no data available

Explosivity not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.



ENVIDOR® 2 SC MITICIDE

Version 3 / USA
102000011424

4/11
Revision Date: 02/07/2014
Print Date: 02/04/2015

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Spirodiclofen	148477-71-8	0.39 mg/m3 (TWA)		OES BCS*
Glycerine (Total dust.)	56-81-5	15 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust.)	56-81-5	10 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust and mist.)	56-81-5	10 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Respirable fraction and dust or fume.)	56-81-5	5 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Particulate.)	56-81-5	50 ug/m3 (ST ESL)	02 2013	TX ESL
Glycerine (Particulate.)	56-81-5	5 ug/m3 (AN ESL)	02 2013	TX ESL
Glycerine (Vapor.)	56-81-5	100 ug/m3 (AN ESL)	02 2013	TX ESL



ENVIDOR® 2 SC MITICIDE

Version 3 / USA
102000011424

5/11
Revision Date: 02/07/2014
Print Date: 02/04/2015

Glycerine (Vapor.)	56-81-5	1000 ug/m3 (ST ESL)	02 2013	TX ESL
-----------------------	---------	------------------------	---------	--------

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Safety glasses with side-shields
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to beige
Physical State	viscous liquid suspension
Odor	slight
Odour Threshold	no data available
pH	4 - 6 (100 %)
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	1.09 g/cm ³ at 20 °C
Evaporation rate	no data available
Boiling Point	no data available



ENVIDOR® 2 SC MITICIDE

Version 3 / USA
102000011424

6/11
Revision Date: 02/07/2014
Print Date: 02/04/2015

Melting / Freezing Point	-17.8 °C / -0.0 °F
Water solubility	miscible
Minimum Ignition Energy	not applicable
Decomposition temperature	not applicable
Partition coefficient: n-octanol/water	no data available
Viscosity	700 - 1,000 mPa.s at 23 °C
Flash point	Not relevant; aqueous solution
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	not applicable
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	no data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION



ENVIDOR® 2 SC MITICIDE

Version 3 / USA
102000011424

7/11
Revision Date: 02/07/2014
Print Date: 02/04/2015

Exposure routes	Ingestion, Eye contact, Skin contact, Skin Absorption
Immediate Effects	
Skin	Harmful if absorbed through skin. May cause sensitisation by skin contact.
Ingestion	Harmful if swallowed.
Information on toxicological effects	
Acute oral toxicity	LD50 (male/female combined rat) > 2,000 mg/kg
Acute inhalation toxicity	LC50 (male/female combined rat) > 3.146 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration.
	LC50 (male/female combined rat) > 12.58 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
Acute dermal toxicity	LD50 (male/female combined rat) > 4,000 mg/kg
Skin irritation	No skin irritation (rabbit)
Eye irritation	No eye irritation (rabbit)
Sensitisation	Sensitising (guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

Assessment repeated dose toxicity

Spirodiclofen did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Spirodiclofen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Spirodiclofen caused at high dose levels an increased incidence of tumours in mice in the following organ(s): liver.

Spirodiclofen caused at high dose levels an increased incidence of tumours in rats in the following organ(s): uterus, testes. The tumours seen with Spirodiclofen were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

ACGIH

None.

NTP

None.

IARC



ENVIDOR® 2 SC MITICIDE

Version 3 / USA
102000011424

8/11
Revision Date: 02/07/2014
Print Date: 02/04/2015

None.

OSHA

None.

Assessment toxicity to reproduction

Spirodiclofen did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Spirodiclofen did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) > 0.035 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient spirodiclofen. No acute toxicity was observed at its limit of water solubility.
Toxicity to aquatic invertebrates	EC50 (Water flea (<i>Daphnia magna</i>)) > 0.045 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient spirodiclofen. No acute toxicity was observed at its limit of water solubility.
Toxicity to aquatic plants	IC50 (<i>Pseudokirchneriella subcapitata</i>) > 0.06 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient spirodiclofen. No acute toxicity was observed at its limit of water solubility.
Biodegradability	Spirodiclofen: not rapidly biodegradable
Koc	Spirodiclofen: Koc:31097
Bioaccumulation	Spirodiclofen: Bioconcentration factor (BCF) 491 Does not bioaccumulate.
Mobility in soil	Spirodiclofen: Immobile in soil
Environmental precautions	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply this product as specified on the label.



ENVIDOR® 2 SC MITICIDE

Version 3 / USA
10200011424

9/11
Revision Date: 02/07/2014
Print Date: 02/04/2015

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Follow container label instructions for disposal of wastes generated during use in compliance with the product label.
Dispose in accordance with all local, state/provincial and federal regulations.

Contaminated packaging Triple rinse containers.
Puncture container to avoid re-use.
Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke.

RCRA Information Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-831

US Federal Regulations

TSCA list

Glycerine 56-81-5

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Spirodiclofen 148477-71-8

This product does not contain any substances known to the State of California to cause reproductive harm.



ENVIDOR® 2 SC MITICIDE

Version 3 / USA
10200011424

10/11
Revision Date: 02/07/2014
Print Date: 02/04/2015

US State Right-To-Know Ingredients

Glycerine 56-81-5 MN

Canadian Regulations

Canadian Domestic Substance List

Glycerine 56-81-5

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Glycerine 56-81-5

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed or absorbed through skin.
Do not get in eyes, on skin, or on clothing.
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
Wash thoroughly with soap and water after handling.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 02/07/2014

This information is provided in good faith but without express or implied warranty. The customer assumes

Bayer CropScience
SAFETY DATA SHEET



ENVIDOR® 2 SC MITICIDE

Version 3 / USA
102000011424

11/11
Revision Date: 02/07/2014
Print Date: 02/04/2015

all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.